



CHEMISTRY STANDARD LEVEL PAPER 3

Thursday	13 Ma	y 2010	(morning)
----------	-------	--------	-----------

_					
1	h	Oι	1	r	

Candidate session number								
0								


INSTRUCTIONS TO CANDIDATES

- Write your session number in the boxes above.
- Do not open this examination paper until instructed to do so.
- Answer all of the questions from two of the Options in the spaces provided. You may continue your answers on answer sheets. Write your session number on each answer sheet, and attach them to this examination paper and your cover sheet using the tag provided.
- At the end of the examination, indicate the letters of the Options answered in the candidate box on your cover sheet and indicate the number of answer sheets used in the appropriate box on your cover sheet.

Option A — Modern analytical chemistry

A1.	State two reasons for the use of analytical techniques in today's society.	[2]

A2. A student analyses the amount of Cu^{2+} in a water sample using atomic absorption spectroscopy. A simplified diagram of the atomic absorption spectrophotometer is shown below.



(a)	State the essential characteristic of the lamp providing the light source.	[1]
(b)	Describe what happens to the Cu ²⁺ (aq) ions when introduced into the atomizer.	[2]
(c)	Describe the function of the monochromator.	[1]



(Question A2 continued)

	(a)	water sample using an atomic absorption spectrophotometer and a solution of 0.10 mol dm ⁻³ CuSO ₄ .	[4]
A3.	Pape	er chromatography may be used to separate a mixture of sugars.	
	(a)	State the stationary phase and an example of a mobile phase used in paper chromatography.	[2]
		Stationary phase:	
		Mobile phase:	

(Question A3 continued)

(i)	Describe how an $R_{\rm f}$ va	alue can be calcu	ılated.	[1]
(ii)	Calculate the $R_{\rm f}$ value	for sugar 2 in th	ne chromatogram below.	[1
			solvent front	
		•	sugar 1	
		•	sugar 2	
		•	— start	
Expl	lain how the $R_{\rm f}$ value of	sugar 2 could be	e used to identify it.	[2



A4.	(a)	Explain why the nitrogen molecule, N ₂ , does not absorb infrared radiation.	[2]
	(b)	Describe two vibrations in the water molecule that absorb infrared radiation.	[2]

Option B — Human biochemistry

B1. The energy value of food may be determined using a food calorimeter.

	600	combustion of 2.00 g of dried bread in a food calorimeter raised the temperature of cm ³ water from 20.5 °C to 29.0 °C. Calculate the energy content of bread in kJ per 100 g. eific heat capacity of water = $4.18 \text{ J g}^{-1} \text{ K}^{-1}$.	[4]
2.	Prot	eins are natural polymers.	
	(a)	List four major functions of proteins in the human body.	[2]



(Question B2 continued)

(b) Deduce the structures of **two** different tripeptides that can be formed when all three amino acids given below react together. [2]

 H_2N —CH—COOH H_2N —CH—COOH H_2N — CH_2 —COOH CH_3 CH_2 —SH

(c) Deduce the number of tripeptides that could be formed by using all three of the above amino acids to form a tripeptide.

(d) State the type of bonding that is responsible for the primary and secondary structures of proteins.

[2] Primary:

Secondary:



(Question B2 continued)

	(e)	Describe and explain the tertiary structure of proteins. Include in your answer all the bonds and interactions responsible for the tertiary structure.	[2]
ВЗ.	(a)	State what is meant by the term <i>dietary fibre</i> .	[1]
	(b)	Describe the importance of a high fibre diet and list two health problems related to a low fibre diet.	[2]
B4.	Hor	mones play an important role in the body.	
	(a)	Outline the function and production of hormones in the body.	[2]
	(b)	In many communities there are people who use steroids appropriately, and others who abuse them. Outline one appropriate use and one abuse of steroids.	[2]



Option C — Chemistry in industry and technology

C1.	Nano	otechnology creates and uses structures that have novel properties because of their size.	
	(a)	State the size range of structures which are involved in nanotechnology.	[1]
	(b)	Distinguish between physical and chemical techniques in manipulating atoms to form molecules.	[2]
	(c)	Discuss two implications of nanotechnology.	[2]

[1]

[1]

[1]

(ii) A reaction used to remove impurities from the iron:

C3.		Addition polymers are extensively used in society. The properties of addition polymers may be modified by the introduction of certain substances.			
	(a)	For two different addition polymers, describe and explain one way in which the properties of addition polymers may be modified.	[4]		
		Polymer one:			
		Polymer two:			
	(b)	Describe and explain how the extent of branching affects the properties of poly(ethene).	[3]		
	(c)	Discuss two advantages and two disadvantages of using poly(ethene).	[2]		



C4. Detergents are one example of lyotropic liquid crystals.

State one other example of a lyotropic liquid crystal and describe the difference between lyotropic and thermotropic liquid crystals.							

Option D — Medicines and drugs

D1.	State the differences between the structures of morphine and diamorphine (heroin). State the names of all functional groups in the molecule of morphine.							
	Diff	erences:						
	Fund	etional groups:						
D2.	Bact	erial and viral infections require different types of medication.						
	(a)	Outline two differences between bacteria and viruses.	[2]					
	(b)	Antiviral drugs are used for the treatment of HIV and other viral infections. Describe two ways in which antiviral drugs work.	[2]					



(Question D2 continued)

	(c)	Discuss why viral infections are generally harder to treat than bacterial infections.	[3]
D3.		l analgesics such as aspirin, and strong analgesics such as opiates, differ not only in their ncy but also in the ways they act on the central nervous system.	
	(a)	Describe how mild and strong analgesics provide pain relief.	[2]
		Mild analgesics:	
		Strong analgesics:	



(Question D3 continued)

	(b)	Discuss two advantages and two disadvantages of using morphine and other opiates for pain relief.						
		Advantages:						
		Disadvantages:						
D4.		xetine hydrochloride (Prozac®) is a common depressant. Depressants have many apeutic uses.						
	(a)	State three other common depressants.	[3]					
	(b)	Describe one effect, other than relieving depression, of moderate doses of depressants on patients.	[1]					

Option E — Environmental chemistry

E1.	The greenhouse effect maintains the Earth's average temperature at a habitable level. The components of the Earth's atmosphere responsible for this effect are called greenhouse gases.									
	(a)	Major greenhouse gases are water vapour and carbon dioxide. State two other greenhouse gases.	[2]							
	(b)	Describe how greenhouse gases cause the greenhouse effect.	[3]							
	(c)	Discuss three possible implications of global warming on world food production.	[3]							



TO	D: 1	C 1	1			•	1		
н")	Disposal	ot rac	linactive	Wacte 1	6 3	maior	200	lagical	concern
144.	Disposai	Orrac	muachive	waster	s a	maioi		iogicai	COHCCIII.

1)	radioactive waste.	[2]
	Low-level waste:	
	High-level waste:	

Consider the following types of radioactive waste.

Type	Waste	Isotopes	Half-life	Emissions
A	syringes and other disposable materials used in radiotherapy	⁹⁰ Y	64 hours	β-
В	diluted aqueous solution of cobalt-60 complexes	⁶⁰ Co	5.3 years	β-, γ
С	partially processed solid materials from a nuclear reactor	U, Pu, Am and other actinides	10 ³ –10 ⁹ years	α, γ

Identify which method can be used for the disposal of radioactive wastes $A,\,B$ and C.

(1)	vitrification followed by long-term underground storage:	[1]
(ii)	Storage in a non-shielded container for two months followed by the disposal as normal (non-radioactive) waste:	[1]
(iii)	Ion-exchange and adsorption on iron(II) hydroxide, storage in a shielded container for 50 years, then mixing with concrete and shallow land burial:	[1]



E3. The ozone layer protects living organisms from dangerous UV radiation. In the Earth's stratosphere, ozone is photochemically formed from oxygen by the following two-step process.

$$O_2 \xrightarrow{UV \text{ light}} 2O \bullet$$

$$O_2 + O \bullet \longrightarrow O_3$$

(a)	Ozone decomposition can proceed photochemically. Describe, using chemical equations, the two-step mechanism of photochemical decomposition of ozone in the Earth's stratosphere.	[2]
	Step 1:	
	Step 2:	
(b)	Ozone decomposition can also be catalysed by ozone-depleting substances such as chlorofluorocarbons, CFCs. State two alternatives to CFCs.	[1]
	nsive farming changes the composition of soils and may lead to soil degradation. Common es of soil degradation include <i>salinization</i> , <i>nutrient depletion</i> and <i>soil pollution</i> .	
	cuss two types of soil degradation. In your answer you should describe how each type of degradation occurs and suggest one negative effect on the environment.	[4]



E4.

Option F — Food chemistry

			0.0				-	
F1.	The preserv	vation i	of food	10	important	around	the	world
	THE PIESCI	vation '	oi ioou	13	minportunit	around	uic	wolld.

(a)	Explain the meaning of the term <i>shelf life</i> .					
(b)	Discuss two factors that can affect the shelf life of food.	[4]				

F2.	(a)	Describe the differences in the structure between the saturated fatty acid $C_{16}H_{32}O_2$ and the unsaturated fatty acid $C_{16}H_{26}O_2$.	[3]
	(b)	Describe how $C_{16}H_{26}O_2$ can be converted to $C_{16}H_{32}O_2$.	[3]
	(c)	Fatty acids are components of fats and oils.	
		(i) Describe one advantage of the products formed by hydrogenating fats and oils.	[1]
		(ii) Describe one disadvantage of the products formed by hydrogenating fats and oils.	[1]




F3.	(a)	Define the term <i>antioxidant</i> and state its use.	[2]
	(b)	Discuss one disadvantage of using natural and synthetic antioxidants.	[2]
		Natural antioxidants:	
		Synthetic antioxidants:	
F4.	Flavanones are pigments that produce a red colouration. Distinguish between a pigment and a dye.		

[4]

Option G — Further organic chemistry

- **G1.** Addition of hydrogen halides to unsymmetrical alkenes produces a mixture of halogenoalkanes. The latter can be converted into Grignard reagents by reaction with magnesium metal and then used for the preparation of various organic molecules with an increased number of carbon atoms.
 - (a) State in the boxes below, the formulas of the organic substances needed to complete the following reaction pathways.





(Question G1 continued)

(b) Describe, using equations and curly arrows to represent the movement of electron pairs, the mechanism of the reaction between propene and hydrogen bromide. Compare the relative stabilities of the two intermediate carbocations which lead to the formation of the major and minor products.

[4]

[2]

G2. Hydrolysis of aliphatic and aromatic halides occurs under different conditions.

State an equation, using structural formulas, to show the reaction of 1-chloro-2-(chloromethyl) benzene with excess sodium hydroxide at room temperature.

2324

G3.	Deduce a two-step reaction pathway for the conversion of butan-1-ol into 1,2-dibromobutane. State the appropriate equations, the reaction conditions and the reaction type for each step. Step 1:		[5]	
				Read
	Step 2:			
		Reaction type for step 2:		
G4.	The acidity of carboxylic acids depends on the carbon chain length and the nature of substituents in their molecules. Table 15 of the Data Booklet provides some examples.			
	(a)	State and explain how the presence of halogen atoms in the hydrocarbon chain affects the acidity of carboxylic acids.	[3]	
	(b)	State how the acidity of 3-chloropropanoic acid compares to that of propanoic acid and chloroethanoic acid.	[1]	
	(c)	Suggest the pK_a value for 3-chloropropanoic acid.	[1]	

