

© International Baccalaureate Organization 2024

All rights reserved. No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the prior written permission from the IB. Additionally, the license tied with this product prohibits use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, whether fee-covered or not, is prohibited and is a criminal offense.

More information on how to request written permission in the form of a license can be obtained from <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organisation du Baccalauréat International 2024

Tous droits réservés. Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite préalable de l'IB. De plus, la licence associée à ce produit interdit toute utilisation de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, moyennant paiement ou non, est interdite et constitue une infraction pénale.

Pour plus d'informations sur la procédure à suivre pour obtenir une autorisation écrite sous la forme d'une licence, rendez-vous à l'adresse <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organización del Bachillerato Internacional, 2024

Todos los derechos reservados. No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin la previa autorización por escrito del IB. Además, la licencia vinculada a este producto prohíbe el uso de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales—, ya sea incluido en tasas o no, está prohibido y constituye un delito.

En este enlace encontrará más información sobre cómo solicitar una autorización por escrito en forma de licencia: <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

Mathematics: analysis and approaches
Higher level
Paper 1

24 October 2024

Zone A afternoon | **Zone B** afternoon | **Zone C** afternoon

Candidate session number

2 hours

--	--	--	--	--	--	--	--	--	--

Instructions to candidates

- Write your session number in the boxes above.
- Do not open this examination paper until instructed to do so.
- You are not permitted access to any calculator for this paper.
- Section A: answer all questions. Answers must be written within the answer boxes provided.
- Section B: answer all questions in the answer booklet provided. Fill in your session number on the front of the answer booklet, and attach it to this examination paper and your cover sheet using the tag provided.
- Unless otherwise stated in the question, all numerical answers should be given exactly or correct to three significant figures.
- A clean copy of the **mathematics: analysis and approaches HL formula booklet** is required for this paper.
- The maximum mark for this examination paper is **[110 marks]**.



Full marks are not necessarily awarded for a correct answer with no working. Answers must be supported by working and/or explanations. Where an answer is incorrect, some marks may be given for a correct method, provided this is shown by written working. You are therefore advised to show all working.

Section A


Answer **all** questions. Answers must be written within the answer boxes provided. Working may be continued below the lines, if necessary.

1. [Maximum mark: 5]

Points A and B lie on a circle with centre O and radius r cm, where $\widehat{AOB} = 1.5$ radians.

This is shown on the following diagram.

diagram not to scale



The area of sector OAB is 48 cm^2 .

- (a) Find the value of r . [3]
- (b) Hence, find the perimeter of sector OAB . [2]

(This question continues on the following page)



(Question 1 continued)

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



16EP03

Turn over

2. [Maximum mark: 6]

Two events A and B are such that $P(A) = 0.65$, $P(B) = 0.45$ and $P(A \cup B) = 0.85$.

(a) Find $P(A \cap B)$. [3]

(b) Find $P(A' | B')$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



3. [Maximum mark: 4]

Prove that $(3n + 2)^2 - (3n - 2)^2$ is a multiple of 12 for all $n \in \mathbb{Z}^+$.

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

.....

.....




16EP05

Turn over

4. [Maximum mark: 6]

The following diagram shows triangle ABC , where $AB = 4\text{ cm}$, $BC = 6\text{ cm}$, $AC = 5\text{ cm}$ and $\hat{A}BC = 2\theta$.

diagram not to scale



Find the exact value of $\cos \theta$, giving your answer in the form $\frac{p\sqrt{2}}{q}$, where $p, q \in \mathbb{Z}^+$.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



5. [Maximum mark: 6]

For a particular arithmetic sequence, $u_{10} = 16$ and $S_{25} = 100$.

Find the value of k such that $u_k = 0$.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



6. [Maximum mark: 5]

(a) Solve $2x^2 - 15x + 18 < 0$. [3]

(b) The function f is defined by $f(x) = \sqrt{2x^2 - 15x + 18}$, where $x \in \mathbb{R}$, $x \leq k$.

Find the greatest value of k for which f^{-1} exists, justifying your answer. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



7. [Maximum mark: 7]

Consider the function $f(x) = \sec\left(x - \frac{\pi}{4}\right)$, for $0 \leq x \leq \frac{\pi}{2}$.

(a) Determine the range of f . [3]

The region bounded by the graph of $y = f(x)$, the x -axis and the lines $x = 0$ and $x = \frac{\pi}{2}$ is rotated 2π radians about the x -axis.

(b) Find the volume of revolution generated. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....



8. [Maximum mark: 8]

The following diagram shows two points A and B such that $\vec{OA} = \mathbf{a}$, $\vec{OB} = \mathbf{b}$.



The point P lies on (AB) so that $\vec{AP} = \lambda \vec{AB}$ where $0 < \lambda < 1$.

(a) Show that $\vec{OP} = (1 - \lambda)\mathbf{a} + \lambda\mathbf{b}$. [1]

It is given that $|\mathbf{a}| = 1$, $|\mathbf{b}| = 2$ and $\mathbf{a} \cdot \mathbf{b} = \frac{1}{4}$.

(b) In the case that \vec{OP} is perpendicular to \vec{AB} , find the value of λ . [7]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



9. [Maximum mark: 9]

(a) Prove that $\tan\left(\theta - \frac{\pi}{4}\right) \equiv \frac{\sin 2\theta - 1}{\cos 2\theta}$, where $\theta \neq \frac{(2n+1)\pi}{4}$, $n \in \mathbb{Z}$. [6]

(b) Hence, or otherwise, solve $\frac{\sin x - 1}{\cos x} = \sqrt{3}$ for $0 \leq x \leq 2\pi$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



Do **not** write solutions on this page.

Section B


Answer **all** questions in the answer booklet provided. Please start each question on a new page.

10. [Maximum mark: 17]

Consider a cylinder of radius $4r$ and height h . A smaller cylinder of radius r is removed from the centre to form a hollow cylinder. This is shown in the following diagram.

All lengths are measured in centimetres.

diagram not to scale



The total surface area of the hollow cylinder, in cm^2 , is given by S .

The volume of the hollow cylinder, in cm^3 , is given by V .

(a) Show that $S = 30\pi r^2 + 10\pi r h$. [3]

(b) The total surface area of the hollow cylinder is $240\pi \text{ cm}^2$.

Show that $V = 360\pi r - 45\pi r^3$. [6]

(c) Find an expression for $\frac{dV}{dr}$. [2]

The hollow cylinder has its maximum volume when $r = p\sqrt{\frac{2}{3}}$, where $p \in \mathbb{Z}^+$.

(d) Find the value of p . [3]

(e) Hence, find this maximum volume, giving your answer in the form $q\pi\sqrt{\frac{2}{3}}$, where $q \in \mathbb{Z}^+$. [3]



Do **not** write solutions on this page.

11. [Maximum mark: 17]

A curve is given by the equation $y = \frac{e^{2x} - 1}{e^{2x} + 1}$, $x \in \mathbb{R}$.

(a) By applying l'Hôpital's rule or otherwise, show that $\lim_{x \rightarrow \infty} \left(\frac{e^{2x} - 1}{e^{2x} + 1} \right) = 1$. [2]

(b) (i) Show that $\frac{dy}{dx} = \frac{4e^{2x}}{(e^{2x} + 1)^2}$.

(ii) Hence, show that $1 - y^2 = \frac{dy}{dx}$. [6]

(c) (i) By using implicit differentiation and the result in part (b)(ii), show that $\frac{d^2y}{dx^2} = 2y^3 - 2y$.

(ii) Hence, find an expression for $\frac{d^3y}{dx^3}$ in terms of y . [5]

(d) By using your results from parts (b) and (c), find the Maclaurin series for $\frac{e^{2x} - 1}{e^{2x} + 1}$ up to and including the term in x^3 . [4]



Do **not** write solutions on this page.

12. [Maximum mark: 20]

Consider the equation $z^4 = 16i$, where $z \in \mathbb{C}$.

The equation has four roots z_1, z_2, z_3, z_4 , where $z_i = r(\cos \theta_i + i \sin \theta_i)$, $r > 0$ and $0 \leq \theta_1 < \theta_2 < \theta_3 < \theta_4 < 2\pi$.

- (a) Find z_1, z_2, z_3 and z_4 . [6]

The roots z_1, z_2, z_3 and z_4 form a geometric sequence.

- (b) Find the common ratio of the sequence, expressing your answer in Cartesian form. [3]

The roots z_1, z_2, z_3 and z_4 are represented by the points A, B, C and D respectively on an Argand diagram.

- (c) Plot the points A, B, C and D on an Argand diagram. [3]

The equation $v^4 = a + bi$, where $v \in \mathbb{C}$ and $a, b \in \mathbb{R}$ has roots z_1^*, z_2^*, z_3^* and z_4^* .

- (d) Determine the value of a and the value of b . [3]

The midpoint of [AB] is A' , the midpoint of [BC] is B' , the midpoint of [CD] is C' and the midpoint of [DA] is D' .

Consider the equation $w^p = 2^q$, where $w \in \mathbb{C}$ and $p, q \in \mathbb{Z}^+$.

Four of the roots of $w^p = 2^q$ are represented by the points A', B', C' and D' .

- (e) Find the least possible value of p and the corresponding value of q . [5]



Please **do not** write on this page.

Answers written on this page
will not be marked.



16EP15

Please **do not** write on this page.

Answers written on this page
will not be marked.



16EP16